INDEX TO AUTHORS

A

AARONSON, ROBERT PETER, and BLOBEL, GÜNTER. On the attachment of the nuclear pore complex, 746

AMAR-COSTESEC, ALAIN, WIBO, MAURICE, THINÈS-SEMPOUX, DENISE, BEAUFAY, HENRI, and BERTHET, JACQUES. Analytical study of microsomes and isolated subcellular membranes from rat liver. IV. Biochemical, physical, and morphological modifications of microsomal components induced by digitonin, EDTA, and pyrophosphate, 717

ANDERSEN, H. A. See LYKKESFELDT and ANDERSEN, 316

ANDERSON, WINSTON A. See CHURG and ANDERSON, 449

ARNOLD, JOHN M. See BERGSTROM and ARNOLD, 917

AXLINE, STANTON G., and REAVEN, EVE P. Inhibition of phagocytosis and plasma membrane mobility of the cultivated macrophage by cytochalasin B. Role of subplasmalemmal microfilaments, 647

B

BEAUFAY, HENRI. See AMAR-COSTESEC, WIBO, THINÈS-SEMPOUX, BEAUFAY, and BERTHET, 717

BEDIGIAN, E. See KIMMEL, PÉRON, HAKSAR, BEDIGIAN, ROBIDOUX, and LIN, 152

BELL, PAUL B., JR. See DIPASQUALE and BELL, 198

BERGSTROM, BEVERLY H., and ARNOLD, JOHN M. Nonkinetochore association of chromatin and microtubules. A preliminary note, 917

BERNS, MICHAEL W. See RATTNER and BERNS, 526

BERTHET, JACQUES. See AMAR-COSTESEC, WIBO, THINÈS-SEMPOUX, BEAUFAY, and BERTHET, 717

BIBB, CAROL, and YOUNG, RICHARD W. Renewal of glycerol in the visual cells and pigment epithelium of the frog retina, 378

BLOBEL, GÜNTER. See AARONSON and BLOBEL, 746

BLOODGOOD, ROBERT A., and MILLER, KENNETH R. Freeze-fracture of microtubules and bridges in motile axostyles, 660

BLUM, J. J. See ROTHSTEIN and BLUM, 844

BONNEVILLE, MARY. See CUNNINGHAM, STAEHELIN, RUBIN, WILKINS, AND BONNEVILLE, 491

BOQUIST, L., HELLMAN, B., LERNMARK, Å., and TÄLJEDAL, I.-B. Influence of the mutation "diabetes" on insulin release and islet morphology in mice of different genetic backgrounds, 77

BORGERS, M., and DE NOLLIN, S. The preservation of subcellular organelles of *Candida albicans* with conventional fixatives, 574

BORISY, GARY G. See INOUÉ, BORISY, and KIEHART, 175

BORNSTEIN, PAUL. See EHRLICH, ROSS, and BORNSTEIN, 390

BORYSENKO, JOAN Z. See RYAN, BORYSENKO, and KARNOVSKY, 351

BOWERS, BLAIR, and KORN, EDWARD D. Localization of lipophosphonoglycan on both sides of *Acanthamoeba* plasma membrane, 533

BRANSTRATOR, MARGARET L. See ETZLER and BRANSTRATOR, 329

BURGESS, DAVID R., and GREY, ROBERT D. Alterations in morphology of developing microvilli elicited by cytochalasin B. Studies of embryonic chick intestine in organ culture, 566

C

CARABEZ, A., and SANDOVAL, F. A mitochondrial inner membrane preparation that sediments at 100 *g*, 877

CARELL, EDGAR F. See GOETZ, JOHNSTON, DOBROSIELSKI-VERGONA, and CARELL, 672

CARRICO, CHRISTINE K. See HWANG, YANG, CARRICO, SCHULZ, SCHENKMAN, and SARTORELLI, 20

CHACKO, GEORGE K., GOLDMAN, DAVID E., MALHOTRA, HARISH C., and DEWEY, MAYNARD M. Isolation and characterization of plasma membrane fractions from garfish *Lepisosteus osseus* olfactory nerve, 831

CHAI, LEE S. See OBARA, CHAI, WEINFELD, and SANDBERG, 104

CHOW, DONALD. See SKOSEY, DAMGAARD, CHOW, and SORENSEN, 625

CHURG, ANDREW, and ANDERSON, WINSTON A. Induction of endometrial peroxidase synthesis and secretion by estrogen and estrogen antagonist, 449

COPELAND, D. EUGENE. See HARB and COPELAND, 886

COTMAN, C. W., and TAYLOR, D. Localization and characterization of concanavalin A receptors in the synaptic cleft, 236

CUNNINGHAM, WILLIAM P., STAEHELIN, L. ANDREW, RUBIN, ROBERT W., WILKINS, ROSS, and BONNEVILLE, MARY. Effects of phosphotungstate negative staining on the morphology of the isolated Golgi apparatus, 491

D

DAMGAARD, EVELYN. See SKOSEY, DAMGAARD, CHOW, and SORENSEN, 625

DAVIS, ELAINE. See INGWALL, WEINER, MORALES, DAVIS, and STOCKDALE, 145

DECKER, ROBERT S., and FRIEND, DANIEL S. Assembly of gap junctions during amphibian neurulation, 32

DE MEIS, L., HASSELBACH, W., and MACHADO, R. D. Characterization of calcium oxalate and calcium phosphate deposits in sarcoplasmic reticulum vesicles, 505
DE NOLLIN, S. See BORGERS and DE NOLLIN, 574
DEWEY, MAYNARD M. See CHACKO, GOLDMAN, MALHOTRA, and DEWEY, 831
DIPASQUALE, ALBERT, and BELL, PAUL B., JR. The upper cell surface: its inability to support active cell movement in culture, 198
DIRKSEN, ELLEN ROTER. Ciliogenesis in the mouse oviduct. A scanning electron microscope study, 899
—. See STAPRANS and DIRKSEN, 164
DOBROSIELSKI-VERGONA, KATHY. See GOETZ, JOHNSTON, DOBROSIELSKI-VERGONA, and CARELL, 672
DOUGLAS, W. W. See KAGAYAMA and DOUGLAS, 519
DURPHY, MICHAEL, MANLEY, PAUL N., and FRIEDBERG, ERROL C. A demonstration of several deoxyribonuclease activities in mammalian cell mitochondria, 695
DYER, P. Y. See KEMP, DYER, and ROGERS, 114

E

EDELMAN, GERALD M. See GUNTHER, WANG, and EDELMAN, 366
EHRLICH, H. PAUL, ROSS, RUSSELL, and BORNSTEIN, PAUL. Effects of antimicrotubular agents on the secretion of collagen. A biochemical and morphological study, 390
ETZLER, MARILYNN E., and BRANSTRATOR, MARGARET L. Differential localization of cell surface and secretory components in rat intestinal epithelium by use of lectins, 329

F

FEDORKO, MARTHA E. Loss of iron from mouse peritoneal macrophages in vitro after uptake of [^{55}Fe]-ferritin and [^{55}Fe]ferritin rabbit antiferritin complexes, 802
FLEET, G. H. See KOPECKÁ, PHAFF, and FLEET, 66
FRIEDBERG, ERROL C. See DURPHY, MANLEY, and FRIEDBERG, 695
FRIEND, DANIEL S. See DECKER and FRIEND, 32

G

GALL, JOSEPH G. See KALT and GALL, 460
GALLIN, JOHN I., and ROSENTHAL, ALAN S. The regulatory role of divalent cations in human granulocyte chemotaxis. Evidence for an association between calcium exchanges and microtubule assembly, 594
GAMBARINI, A. G., and LARA, F. J. S. Under-replication of ribosomal cistrons in polytene chromosomes of *Rhynchosciara*, 215
GERSHON, MICHAEL D., HAGOPIAN, MARTIN, and NUNEZ, ELADIO A. An electron microscope autoradiographic study of the neuronal and extraneuronal localization of labeled amine in the heart of the bat after administration of tritiated norepinephrine, 610
GODMAN, GABRIEL C. See MIRANDA, GODMAN, and TANENBAUM, 406
GOETZ, GEORGE H., JOHNSTON, PAMELA L., DOBROSIELSKI-VERGONA, KATHY, and CARELL, EDGAR F. Vitamin B_{12} and the macromolecular composition of *Euglena*. III. Effect of cycloheximide on the recovery from B_{12}-induced unbalanced growth, 672
GOLDMAN, DAVID E. See CHACKO, GOLDMAN, MALHOTRA, and DEWEY, 831
GREY, ROBERT D. See BURGESS and GREY, 566
GUNTHER, GARY R., WANG, JOHN L., and EDELMAN, GERALD M. The kinetics of cellular commitment during stimulation of lymphocytes by lectins, 366

H

HAGOPIAN, MARTIN. See GERSHON, HAGOPIAN, and NUNEZ, 610
HAGUE, DONALD R. See WEN, LEÓN, and HAGUE, 132
HAKSAR, A. See KIMMEL, PÉRON, HAKSAR, BEDIGIAN, ROBIDOUX, and LIN, 152
HARB, JOSEPH M., and COPELAND, D. EUGENE. Helical form cristae in the mitochondria of the pseudobranch of *Cyprinodon variegatus* adapted to conditions of constant light and darkness, 886
HASSELBACH, W. See DE MEIS, HASSELBACH, and MACHADO, 505
HAY, ELIZABETH D., and MEIER, STEPHEN. Glycosaminoglycan synthesis by embryonic inductors: neural tube, notochord, and lens, 889
HAYASHI, KIMIKO. See TRELSTAD, HAYASHI, and TOOLE, 815
HAYFLICK, L. See SMITH and HAYFLICK, 48
HELLMAN, B. See BOQUIST, HELLMAN, LERNMARK, and TÄLJEDAL, 77
HIGGINS, JOAN A. Studies on the biogenesis of smooth endoplasmic reticulum membranes in hepatocytes of phenobarbital-treated rats. II. The site of phospholipid synthesis in the initial phase of membrane proliferation, 635
HIRSIGER, H. See SIEGERS, SCHAER, HIRSIGER, and SCHINDLER, 305
HOLWILL, M. E. J., and PETERS, PATRICIA D. Dynamics of the hispid flagellum of *Ochromonas danica*. The role of mastigonemes, 322
HOWELL, JOHN N. Intracellular binding of ruthenium red in frog skeletal muscle, 242
HUANG, D. Effect of extracellular chondroitin sulfate on cultured chondrocytes, 881
HUDSON, PEGGY R., and WAALAND, J. ROBERT. Ultrastructure of mitosis and cytokinesis in the multinucleate green alga *Acrosiphonia*, 274
HUMPHRYES, KENNETH C. See HYNES and HUMPHRYES, 438
HWANG, KOU M., YANG, LINDA C., CARRICO, CHRISTINE K., SCHULZ, ROSE A., SCHENKMAN, JOHN B., and SARTORELLI, ALAN C. Production of membrane whorls in rat liver by some inhibitors of protein synthesis, 20
HYNES, RICHARD O., and HUMPHRYES, KENNETH C. Characterization of the external proteins of hamster fibrobalsts, 438

I

INGWALL, JOANNE S., WEINER, CYNTHIA D., MORALES, MANUEL F., DAVIS, ELAINE, and STOCKDALE, FRANK E. Specificity of creatine in the control of muscle protein synthesis, 145

INOUÉ, SHINYA, BORISY, GARY G., and KIEHART DANIEL P. Growth and lability of *Chaetopterus* oocyte mitotic spindles isolated in the presence of porcine brain tubulin, 175

J

JAN, LILY YEH, and REVEL, JEAN-PAUL. Ultrastructural localization of rhodopsin in the vertebrate retina, 257

JARETT, LEONARD. See MCKEEL and JARETT, 231

JOHNSTON, PAMELA L. See GOETZ, JOHNSTON, DOBROSIELSKI-VERGONA, and CARELL, 672

K

KAGAYAMA, M., and DOUGLAS, W. W. Electron microscope evidence of calcium-induced exocytosis in mast cells treated with 48/80 or the ionophores A-23187 and X-537A, 519

KALT, MARVIN R., and GALL, JOSEPH G. Observations on early germ cell development and premeiotic ribosomal DNA amplification in *Xenopus laevis*, 460

KARNOVSKY, MORRIS J. See RYAN, BORYSENKO, and KARNOVSKY, 351

—. See WADE and KARNOVSKY, 344

KEMP, D. J., DYER, P. Y., and ROGERS, G. E. Keratin synthesis during development of the embryonic chick feather, 114

KIEHART, DANIEL P. See INOUÉ, BORISY, and KIEHART, 175

KIMMEL, G. L., PÉRON, F. G., HAKSAR, A., BEDIGIAN, E., ROBIDOUX, W. F., JR., and LIN, M. T. Ultrastructure, steroidogenic potential, and energy metabolism of the Snell adrenocortical carcinoma 494. A comparison with normal adrenocortical tissue, 152

KLEINOW, W., NEUPERT, W., and MILLER, F. Electron microscope study of mitochondrial 60S and cytoplasmic 80S ribosomes from *Locusta migratoria*, 860

KNUTTON, S., LIMBRICK, A. R., and ROBERTSON, J. D. Regular structures in membranes. I. Membranes in the endocytic complex of ileal epithelial cells, 679

KOCH, K., and LEFFERT, H. L. Growth control of differentiated fetal rat hepatocytes in primary monolayer culture. VI. Studies with conditioned medium and its functional interactions with serum factors, 780

KOPECKÁ, MARIE, PHAFF, H. J., and FLEET, G. H. Demonstration of a fibrillar component in the cell wall of the yeast *Saccharomyces cerevisiae* and its chemical nature, 66

KORN, EDWARD D. See BOWERS and KORN, 533

KUMEGAWA, M., NAKAMURA, T., and YAMADA, T. Studies on the effect of selective membrane filtration on the differentiation of tissue cultures, 908

L

LARA, F. J. S. See GAMBARINI and LARA, 215

LATT, SAMUEL A. Detection of DNA synthesis in interphase nuclei by fluorescence microscopy, 546

LEFFERT, H. L. Growth control of differentiated fetal rat hepatocytes in primary monolayer culture. V. Occurrence in dialyzed fetal bovine serum of macromolecules having both positive and negative growth regulatory functions, 767

—. VII. Hormonal control of DNA synthesis and its possible significance to the problem of liver regeneration, 792

—. See KOCH and LEFFERT, 780

LEÓN, PEDRO E. See WEN, LEÓN, and HAGUE, 132

LERNMARK, Å. See BOQUIST, HELLMAN, LERNMARK, and TÄLJEDAL, 77

LIMBRICK, A. R. See KNUTTON, LIMBRICK, and ROBERTSON, 679

LIN, M. T. See KIMMEL, PÉRON, HAKSAR, BEDIGIAN, ROBIDOUX, and LIN, 152

LYKKESFELDT, ANNE E., and ANDERSEN, H. A. The effect of 5-bromodeoxyuridine on DNA replication and cell division in *Tetrahymena pyriformis*, 316

M

MACHADO, R. D. See DE MEIS, HASSELBACH, and MACHADO, 505

MALHOTRA, HARISH C. See CHACKO, GOLDMAN, MALHOTRA, and DEWEY, 831

MANLEY, PAUL N. See DURPHY, MANLEY, and FRIEDBERG, 695

MCCORMICK, J. J. Physical separation of nuclei from two independent plasmodia of *Physarum polycephalum* after fusion, 227

MCKEEL, DANIEL W., JR., and JARETT, LEONARD. The enrichment of adenylate cyclase in the plasma membrane and Golgi subcellular fractions of porcine adenohypophysis, 231

MEIER, STEPHEN. See HAY and MEIER, 889

MILLER, F. See KLEINOW, NEUPERT, and MILLER, 860

MILLER, KENNETH R. See BLOODGOOD and MILLER, 660

MIRANDA, ARMAND F., GODMAN, GABRIEL C., and TANENBAUM, STUART W. Action of cytochalasin D on cells of established lines. II. Cortex and microfilaments, 406

MORALES, MANUEL F. See INGWALL, WEINER, MORALES, DAVIS, and STOCKDALE, 145

N

NACHMIAS, V. T. Properties of *Physarum* myosin purified by a potassium iodide procedure, 54

NAKAMURA, T. See KUMEGAWA, NAKAMURA, and YAMADA, 908

NEUPERT, W. See KLEINOW, NEUPERT, and MILLER, 860

NOGAMI, HIROSHI, and URIST, MARSHALL R. Substrata prepared from bone matrix for chondrogenesis in tissue culture, 510

NUNEZ, ELADIO A. See GERSHON, HAGOPIAN, and NUNEZ, 610

O

OBARA, YOSHITAKA, CHAI, LEE S., WEINFELD, HERBERT, and SANDBERG, AVERY A. Prophasing of interphase nuclei and induction of nuclear envelopes around metaphase chromosomes in HeLa and Chinese hamster homo- and heterokaryons, 104

OKA, TAKAMI, PERRY, JOHN W., and TOPPER, YALE J. Changes in insulin responsiveness during development of mammary epithelium, 550

OLIVOTTO, MASSIMO, and PAOLETTI, FRANCESCO. Protein metabolism in tumor cells at various stages of growth in vivo, 585

ORIAS, EDUARDO. See ROBERTS and ORIAS, 707

P

PAOLETTI, FRANCESCO. See OLIVOTTO and PAOLETTI, 585

PELLETIER, GEORGES. Autoradiographic studies of synthesis and intracellular migration of glycoproteins in the rat anterior pituitary gland, 185

PÉRON, F. G. See KIMMEL, PÉRON, HAKSAR, BEDIGIAN, ROBIDOUX, and LIN, 152

PERRY, JOHN W. See OKA, PERRY, and TOPPER, 550

PETERS, PATRICIA D. See HOLWILL and PETERS, 322

PHAFF, H. J. See KOPECKÁ, PHAFF, and FLEET, 66

PHILLIPS, DAVID M. Nuclear shaping in the absence of microtubules in scorpion spermatids, 911

PULICH, WARREN M., JR. Resistance to high oxygen tension, streptonigrin, and ultraviolet irradiation in the green alga *Chlorella sorokiniana* strain ORS, 904

R

RATTNER, J. B., and BERNS, MICHAEL W. Light and electron microscopy of laser microirradiated chromosomes, 526

REAVEN, EVE P. See AXLINE and REAVEN, 647

REVEL, JEAN-PAUL. See JAN and REVEL, 257

ROBERTS, CHARLES T., JR., and ORIAS, EDUARDO. On the mechanism of adaptation to protein synthesis inhibitors by *Tetrahymena*. Facilitation, cross adaptation, and resensitization, 707

ROBERTSON, J. D. See KNUTTON, LIMBRICK, and ROBERTSON, 679

ROBIDOUX, W. F., JR. See KIMMEL, PÉRON, HAKSAR, BEDIGIAN, ROBIDOUX, and LIN, 152

ROGERS, G. E. See KEMP, DYER, and ROGERS, 114

ROHRLICH, SUSANNAH T. Fine structural demonstration of ordered arrays of cytoplasmic filaments in vertebrate iridophores. A comparative survey, 295

ROSE, NOEL R. See VLADUTIU and ROSE, 560

ROSENBLUTH, JACK. Substructure of amphibian motor end plate. Evidence for a granular component projecting from the outer surface of the receptive membrane, 755

ROSENTHAL, ALAN S. See GALLIN and ROSENTHAL, 594

ROSS, RUSSELL. See EHRLICH, ROSS, and BORNSTEIN, 390

ROTHSTEIN, THOMAS L., and BLUM, J. J. Lysosomal physiology in *Tetrahymena*. III. Pharmacological studies on acid hydrolase release and the ingestion and egestion of dimethylbenzanthracene particles, 844

RUBIN, ROBERT W. See CUNNINGHAM, STAEHELIN, RUBIN, WILKINS, and BONNEVILLE, 491

RYAN, GRAEME B., BORYSENKO, JOAN Z., and KARNOVSKY, MORRIS J. Factors affecting the redistribution of surface-bound concanavalin A on human polymorphonuclear leukocytes, 351

S

SANDBERG, AVERY A. See OBARA, CHAI, WEINFELD, and SANDBERG, 104

SANDOVAL, F. See CARABEZ and SANDOVAL, 877

SANGER, L. See STEIN, SANGER, and STEIN, 90

SARTORELLI, ALAN C. See HWANG, YANG, CARRICO, SCHULZ, SCHENKMAN, and SARTORELLI, 20

SATTLER, CAROL A., and STAEHELIN, L. ANDREW. Ciliary membrane differentiations in *Tetrahymena pyriformis*. *Tetrahymena* has four types of cilia, 473

SCHAER, J. C. See SIEGERS, SCHAER, HIRSIGER, and SCHINDLER, 305

SCHENKMAN, JOHN B. See HWANG, YANG, CARRICO, SCHULZ, SCHENKMAN, and SARTORELLI, 20

SCHINDLER, R. See SIEGERS, SCHAER, HIRSIGER, and SCHINDLER, 305

SCHULZ, ROSE A. See HWANG, YANG, CARRICO, SCHULZ, SCHENKMAN, and SARTORELLI, 20

SIEGERS, M. P., SCHAER, J. C., HIRSIGER, H., and SCHINDLER, R. Determination of rates of DNA synthesis in cultured mammalian cell populations, 305

SKOSEY, JOHN L., DAMGAARD, EVELYN, CHOW, DONALD, and SORENSEN, LEIF B. Modification of zymosan-induced release of lysosomal enzymes from human polymorphonuclear leukocytes by cytochalasin B, 625

SMITH, J. R., and HAYFLICK, L. Variation in the lifespan of clones derived from human diploid cell strains, 48

SOMMER, J. R. See SPRAY, WAUGH, and SOMMER, 223

SORENSEN, LEIF B. See SKOSEY, DAMGAARD, CHOW, and SORENSEN, 625

SPRAY, T. L., WAUGH, R. A., and SOMMER, J. R. Peripheral couplings in adult vertebrate skeletal muscle. Anatomical observations and functional implications, 223

STAEHELIN, L. ANDREW. See CUNNINGHAM, STAEHELIN, RUBIN, WILKINS, and BONNEVILLE, 491

—. See SATTLER and STAEHELIN, 473

STAPRANS, ILONA, and DIRKSEN, ELLEN ROTER. Microtubule protein during ciliogenesis in the mouse oviduct, 164

STECK, THEODORE L. The organization of proteins in the human red blood cell membrane. A review, 1

STEIN, O., SANGER, L., and STEIN, Y. Colchicine-induced inhibition of lipoprotein and protein secretion into the serum and lack of interference with

secretion of biliary phospholipids and cholesterol by rat liver in vivo, 90
STEIN, Y. See STEIN, SANGER, and STEIN, 90
STOCKDALE, FRANK E. See INGWALL, WEINER, MORALES, DAVIS, and STOCKDALE, 145
STORRIE, BRIAN. Effect of dibutyryl adenosine cyclic 3′,5′-monophosphate and testololactone on concanavalin A binding and cell killing, 247

T

TÄLJEDAL, I.-B. See BOQUIST, HELLMAN, LERNMARK, and TÄLJEDAL, 77
TANENBAUM, STUART W. See MIRANDA, GODMAN, and TANENBAUM, 406
TAYLOR, D. See COTMAN and TAYLOR, 236
THINÈS-SEMPOUX, DENISE. See AMAR-COSTESEC, WIBO, THINÈS-SEMPOUX, BEAUFAY, and BERTHET, 717
TOOLE, BRYAN P. See TRELSTAD, HAYASHI, and TOOLE, 815
TOPPER, YALE J. See OKA, PERRY, and TOPPER, 550
TRELSTAD, ROBERT L., HAYASHI, KIMIKO, and TOOLE, BRYAN P. Epithelial collagens and glycosaminoglycans in the embryonic cornea. Macromolecular order and morphogenesis in the basement membrane, 815
TUCKER, J. B. Microtubule arms and cytoplasmic streaming and microtubule bending and stretching of intertubule links in the feeding tentacle of the suctorian ciliate *Tokophrya*, 424

U

URIST, MARSHALL R. See NOGAMI and URIST, 510

V

VLADUTIU, GEORGIRENE D., and ROSE, NOEL R. Intracellular distribution of a primate-specific esterase in cultured cells and tissues, 560

W

WAALAND, J. ROBERT. See HUDSON and WAALAND, 274
WADE, JAMES B., and KARNOVSKY, MORRIS J. Fracture faces of osmotically disrupted zonulae occludentes, 344
WANG, JOHN L. See GUNTHER, WANG, and EDELMAN, 366
WAUGH, R. A. See SPRAY, WAUGH, and SOMMER, 223
WEINER, CYNTHIA D. See INGWALL, WEINER, MORALES, DAVIS, and STOCKDALE, 145
WEINFELD, HERBERT. See OBARA, CHAI, WEINFELD, and SANDBERG, 104
WEN, WU-NAN, LEÓN, PEDRO E., and HAGUE, DONALD R. Multiple gene sites for 5S and 18 + 28S RNA on chromosomes of *Glyptotendipes barbipes* (Staeger), 132
WIBO, MAURICE. See AMAR-COSTESEC, WIBO, THINÈS-SEMPOUX, BEAUFAY, and BERTHET, 717
WILKINS, ROSS. See CUNNINGHAM, STAEHELIN, RUBIN, WILKINS, and BONNEVILLE, 491
WOOD, RICHARD L. A closely packed array of membrane intercalated particles at the free surface of Hydra, 556

Y

YAMADA, T. See KUMEGAWA, NAKAMURA, and YAMADA, 908
YANG, LINDA C. See HWANG, YANG, CARRICO, SCHULZ, SCHENKMAN, and SARTORELLI, 20
YAVIN, EPHRAIM, and YAVIN, ZIVA. Attachment and culture of dissociated cells from rat embryo cerebral hemispheres on polylysine-coated surface, 540
YAVIN, ZIVA. See YAVIN and YAVIN, 540
YOUNG, RICHARD W. See BIBB and YOUNG, 378

INDEX TO SUBJECTS

A

Acid hydrolase release, ingestion and egestion of dimethylbenzanthracene particles, *Tetrahymena*, biochemical and pharmacologic study, 844

Adenohypophysis, pig, adenylate cyclase in plasma membrane and Golgi fractions, biochemical and EM study, 231

—, rat, synthesis and intracellular migration of glycoproteins, autoradiographic light and EM study, 185

Adenosine monophosphate, dibutyryl cyclic, and neurite formation, enucleated neuroblastoma cells, cytological study, 917

— monophosphate, dibutyryl cyclic, and testololactone, effect on concanavalin A binding and cell killing, Chinese hamster ovary cells, biochemical and cytological study, 247

Adenylate cyclase, plasma membrane and Golgi fractions, pig adenohypophysis, biochemical and EM study, 231

Adrenal cortex, rat, normal, comparison with adrenocortical carcinoma 494, ultrastructure, steroidogenesis, and energy metabolism, biochemical and EM study, 152

Alga, green, *Acrosiphonia spinescens*, multinucleate, mitosis and cytokinesis, light and EM study, 274

—, green *Chlorella sorokiniana* strain ORS, resistance to high oxygen tension, streptonigrin, and ultraviolet irradiation, cytological study, 904

— *Ochromonas danica*, dynamics of hispid flagellum, role of mastigonemes, cinephotographic study, 322

Amethopterin, effect on DNA synthesis, cultured murine mastocytoma cells, autoradiographic and biochemical study, 305

Amine, norepinephrine, neuronal and extraneuronal localization, bat heart, biochemical and autoradiographic EM study, 610

Annelid *Chaetopterus*, oocyte, growth and lability of mitotic spindles, stabilization by porcine brain tubulin, light microscopic study, 175

Antibody labeling, localization of rhodopsin, vertebrate retina, immunological and freeze-fracture EM study, 257

Arginine and conditioned medium, role in growth control of fetal rat hepatocytes in culture, biochemical and cytological study, 780

Axostyle, flagellates *Pyrsonympha* and *Saccinobaculus*, microtubules and bridges, freeze-fracture EM study, 660

B

Bat *Myotis lucifugus*, heart, neuronal and extraneuronal localization of labeled norepinephrine, biochemical and autoradiographic EM study, 610

Bile phospholipids and cholesterol, lack of effect of colchicine on rat liver secretion, biochemical and EM study, 90

Birefringence, mitotic spindles of *Chaetopterus* oocytes, stabilization by porcine brain tubulin, light microscopic study, 175

Bladder, urinary, toad, epithelium, osmotically disrupted zonulae occludentes, freeze-fracture EM study, 344

Blood, human, red cell membrane, organization of proteins, review article, 1

Bone, cranial, chick embryo, effects of antimicrotubular agents on collagen secretion, autoradiographic and biochemical and EM study, 390

—, rat, preparation of matrix substratum for chondrogenesis, autoradiographic and cytological and EM study, 510

Brain, rat embryo cerebral hemispheres, tissue culture of dissociated cells on polylysine, cytological study, 540

—, rat, synaptosomes and junctional complexes, concanavalin A receptors in synaptic cleft, biochemical and EM study, 236

Bridges and microtubules, axostyle, flagellates *Pyrsonympha* and *Saccinobaculus*, freeze-fracture EM study, 660

5-Bromodeoxyuridine, effect on DNA replication and cell division in *Tetrahymena pyriformis*, autoradiographic and biochemical study, 316

C

Calcium concentration and microtubule assembly, association in human granulocyte chemotaxis, biochemical and cytological and EM study, 594

— induction of exocytosis, mast cells treated with 48/80 or ionophores A-23187 and X537A, light and EM study, 519

— oxalate and calcium phosphate deposits in sarcoplasmic reticulum vesicles, rabbit skeletal muscle, biochemical and EM study, 505

Capping, concanavalin A binding sites, effect of cellular locomotion, human polymorphonuclear leukocytes, fluorescence and EM study, 351

Cartilage differentiation, preparation of rat bone matrix substratum, autoradiographic and cytological and EM study, 510

Cations, divalent, regulation of chemotaxis, human granulocytes, association between calcium and microtubules, biochemical and cytological and EM study, 594

Cell division and DNA replication, *Tetrahymena pyriformis*, effect of 5-bromodeoxyuridine, autoradiographic and biochemical study, 316

— membrane, human erythrocyte, organization of proteins, review article, 1

Cell wall, yeast *Saccharomyces cerevisiae*, fibrillar component, biochemical and EM study, 66
Cells, Chinese hamster ovary, effect of dibutyryl cyclic AMP and testololactone on concanavalin A binding and cell killing, biochemical and cytological study, 247
—, chondrocytes, effect of extracellular chondroitin sulfate, biochemical study, 881
—, epidermal, corneal and gut epithelial, chick heart fibroblasts, KB and sarcoma 180 cell lines, inability of upper cell surface to support active cell movement, time-lapse cinematographic study, 198
—, fetal mouse salivary gland, rib, and liver, effect of selective membrane filtration on differentiation, biochemical and light and EM study, 908
—, fetal rat hepatocytes, growth control of, conditioned medium, interactions with serum factors, biochemical and cytological study, 780
—, fetal rat hepatocytes, growth control of, growth stimulatory and inhibitory macromolecules in dialyzed fetal bovine serum, biochemical and cytological study, 767
—, fetal rat hepatocytes, growth control of, hormonal control of DNA synthesis, role in liver regeneration, autoradiographic and biochemical study, 792
—, FL human amnion, and monkey kidney and liver, rat liver, and human kidney, intracellular distribution of primate-specific esterase, biochemical and immunological and EM study, 560
—, hamster fibroblasts NIL8 and NIL8.HSV6 lines, external proteins, biochemical study, 438
—, HeLa and Chinese hamster Don line, homo- and heterokaryons, prophasing of interphase nuclei, induction of nuclear envelopes around metaphase chromosomes, light and EM study, 104
—, HeLa, HEp2, L, Vero, MDBK, and PR-105, effect of cytochalasin D on cortex and microfilaments, EM study, 406
—, mouse C1300 neuroblastoma, enucleated, dibutyryl cyclic AMP and neurite formation, cytological study, 917
—, murine mastocytoma P-815-X2 line, rates of DNA synthesis, autoradiographic and biochemical study, 305
—, rat kangaroo PTK_2 line, laser irradiated chromosomes, light and EM study, 526
—, Snell adrenocortical carcinoma 494, ultrastructure, steroidogenic potential, and energy metabolism, comparison with normal adrenal cortex, biochemical and EM study, 152
—, visual, and pigment epithelium, frog retina, glycerol renewal, biochemical and autoradiographic study, 378
—, WI-38 and WI-26 human diploid clones, variation in life-span, cytological study, 48
—, Yoshida ascites hepatoma 130, protein metabolism in resting and log phases, biochemical study, 585
Chemotaxis, human granulocytes, divalent cation regulation, association between calcium and microtubules, biochemical and cytological and EM study, 594
Chick, embryo, cornea, epithelial collagens and glycosaminoglycans, macromolecular order and morphogenesis in basement membrane, biochemical and EM study, 815
—, embryo, cranial bone, effects of antimicrotubular agents on collagen secretion, autoradiographic and biochemical and EM study, 390
—, embryo, feather, keratin protein synthesis during development, biochemical and EM study, 114
—, embryo, intestine, effect of cytochalasin B on microvilli, cytological and EM study, 566
—, embryo, lens, neural tube and notochord, glycosaminoglycan synthesis, autoradiographic and biochemical and EM study, 889
—, embryo, skeletal muscle, creatine specificity in control of protein synthesis, biochemical study, 145
Chondrogenesis, preparation of rat bone matrix substratum, autoradiographic and cytological and EM study, 510
Chondroitin sulfate, extracellular, effect on cultured chondrocytes, biochemical study, 881
Chromatin-and microtubules, nonkinetochore association, *Loligo pealei* spermatid, EM study, 917
Chromosomes, *Glyptotendipes barbipes*, hybridization of ribosomal RNA (5S and 18 + 28S), biochemical and cytological study, 132
—, laser irradiated, rat kangaroo PTK_2 line, light and EM study, 526
—, metaphase, induction of nuclear envelopes around, prophasing of interphase nuclei, HeLa and Chinese hamster homo- and heterokaryons, light and EM study, 104
—, polytene, *Rhynchosciara*, under-replication of ribosomal cistrons, biochemical study, 215
Cilia development, mouse oviduct, scanning EM study, 899
— formation, mouse oviduct, microtubule protein, biochemical and EM study, 164
—, *Tetrahymena pyriformis*, membrane differentiation, freeze-fracture EM study, 473
Cistrons, ribosomal, *Rhynchosciara* polytene chromosomes, under-replication of, biochemical study, 215
Clones, human diploid WI-38 and WI-26 cells, variation in life-span, cytological study, 48
Colchicine, effect on collagen secretion, chick embryo cranial bone, autoradiographic and biochemical and EM study, 390
—, inhibition of rat liver lipoprotein and protein secretion, lack of effect on biliary phospholipids and cholesterol, biochemical and EM study, 90
Collagen and glycosaminoglycans, chick embryo corneal epithelium, macromolecular order and morphogenesis in basement membrane, biochemical and EM study, 815
— secretion, chick embryo cranial bone, effects of antimicrotubular agents, autoradiographic and biochemical and EM study, 390
Concanavalin A binding and cell killing, effect of dibutyryl cyclic AMP and testololactone, Chinese hamster ovary cells, biochemical and cytological study, 247
— A, effect of cellular locomotion on redistribution and capping of binding sites, human polymorphonuclear leukocytes, fluorescence and EM study, 351

Concanavalin A receptors in synaptic cleft, rat brain, biochemical and EM study, 236
— A stimulation of mouse lymphocytes, kinetics of cellular response, autoradiographic and biochemical and cytological study, 366
Contact inhibition, inability of upper cell surface to support active cell movement, epithelial cells and fibroblasts, time-lapse cinemicrographic study, 198
Cornea, chick embryo, epithelial collagens and glycosaminoglycans, macromolecular order and morphogenesis in basement membrane, biochemical and EM study, 815
Cortex and microfilaments, HeLa, HEp2, L, Vero, MDBK, and PR-105 cell lines, effect of cytochalasin D, EM study, 406
Corticosteroid production, adrenocortical carcinoma 494, comparison with normal adrenal cortex, biochemical and EM study, 152
Couplings, peripheral, adult vertebrate skeletal muscle, EM study, 223
Creatine specificity in control of protein synthesis, chick embryo skeletal muscle, biochemical study, 145
Cristae, helical form, in mitochondria of *Cyprinodon variegatus* pseudobranch adapted to constant light and darkness, EM study, 886
Cross-adaptation, response to protein synthesis inhibitors by *Tetrahymena*, cytological study, 707
Cycloheximide, effect on recovery from vitamin B12 deficiency, *Euglena gracilis*, biochemical and cytological study, 672
— and emetine, adaptation to protein synthesis inhibitors by *Tetrahymena*, cytological study, 707
—, induction of membrane whorls, rat liver, biochemical and EM study, 20
Cytochalasin B, effect on microvilli of chick embryo intestine, cytological and EM study, 566
— B, effect on zymosan-induced release of lysosomal enzymes, human polymorphonuclear leukocytes, biochemical study, 625
— B, inhibition of phagocytosis and plasma membrane mobility, cultured macrophages, role of subplasmalemmal microfilaments, biochemical and microfilaments, biochemical and cytological and scanning and transmission EM study, 647
— D, effect on cortex and microfilaments, HeLa, HEp2, L, Vero, MDBK, and PR-105 cell lines, EM study, 406
Cytokinesis and mitosis, multinucleate green alga *Acrosiphonia*, light and EM study, 274
Cytoplasm, *Locusta migratoria*, 80S ribosomes, biochemical and EM study, 860
—, vertebrate iridophores, ordered arrays of filaments, comparative EM study, 295
Cytoplasmic streaming and microtubule arms, intertubule links, feeding tentacle of suctorian ciliate *Tokophrya*, Nomarski light and EM study, 424

D

Deoxyribonuclease, alkaline, rabbit liver and kidney mitochondria, biochemical study, 695
Deoxyribonucleic acid replication and cell division, *Tetrahymena pyriformis*, effect of 5-bromodeoxyuridine, autoradiographic and biochemical study, 316
— acid, ribosomal, premeiotic amplification, early germ cell development, *Xenopus laevis*, autoradiographic and biochemical and cytological study, 460
— acid synthesis, cultured murine mastocytoma cells, autoradiographic and biochemical study, 305
— acid synthesis, fetal rat hepatocytes in culture, effect of conditioned medium and interactions with serum factors, biochemical and cytological study, 780
— acid synthesis, fetal rat hepatocytes in culture, hormonal control, role in liver regeneration, autoradiographic and biochemical study, 792
— acid synthesis, fetal rat hepatocytes in culture, regulation by stimulatory and inhibitory macromolecules in dialyzed fetal bovine serum, biochemical and cytological study, 767
— acid synthesis in interphase nuclei, human leukocytes, autoradiographic and fluorescence microscopy study, 546
— acid synthesis in vitamin B12 deficiency, effect of cycloheximide, *Euglena gracilis*, biochemical and cytological study, 672
Diabetes, mouse, influence of mutation on insulin release and islet morphology, biochemical and immunological and light and EM study, 77
Digitonin, EDTA, and pyrophosphate, effects on rat liver microsomes and subcellular membranes, biochemical and EM study, 717
Dimethylbenzanthracene particles, ingestion and egestion by *Tetrahymena pyriformis*, biochemical and pharmacologic study, 844
Drug 48/80 or ionophores A-23187 and X-537A treatment of mast cells, calcium-induced exocytosis, light and EM study, 519

E

Electron microscopy technique, preservation of subcellular organelles with conventional fixatives, *Candida albicans*, EM study, 574
Embryo, chick, cornea, epithelial collagens and glycosaminoglycans, macromolecular order and morphogenesis in basement membranes, biochemical and EM study, 815
—, chick, cranial bone, effects of antimicrotubular agents on collagen secretion, autoradiographic and biochemical and EM study, 390
—, chick, feather, keratin protein synthesis during development, biochemical and EM study, 114
—, chick, intestine, effect of cytochalasin B on microvilli, cytological and EM study, 566
—, chick, lens, neural tube and notochord, glycosaminoglycan synthesis, autoradiographic and biochemical and EM study, 889
—, chick, skeletal muscle, creatine specificity in control of protein synthesis, biochemical study, 145
—, frog, gap junction assembly during neurulation, light and tracer and freeze-fracture EM study, 32
—, rat, cerebral hemisphere, tissue cultures of dissociated cells on polylysine, cytological study, 540

Emetine and cycloheximide, adaptation to protein synthesis inhibitors by *Tetrahymena*, cytological study, 707
—, induction of membrane whorls, rat liver, biochemical and EM study, 20
Endocytic complex, membrane of rat ileal epithelium, regular particulate structures, freeze-fracture EM study, 679
Endoplasmic reticulum, biogenesis of membranes, site of phospholipid synthesis, rat liver smooth microsomes, biochemical study, 635
Envelopes, nuclear, induction around metaphase chromosomes, prophasing of interphase nuclei, HeLa and Chinese hamster homo- and heterokaryons, light and EM study, 104
Enzyme, acid hydrolase release, ingestion and egestion of dimethylbenzanthracene particles, *Tetrahymena*, biochemical and pharmacologic study, 844
—, adenylate cyclase, plasma membrane and Golgi fractions, pig adenohypophysis, biochemical and EM study, 231
—, deoxyribonuclease, alkaline, rabbit liver and kidney mitochondria, biochemical study, 695
—, endo-β-(1 $\rightarrow$ 3) glucanase, digestion of fibrillar component of yeast cell wall, biochemical and EM study, 66
—, esterase, cathodal, primate-specific, intracellular distribution in cultured cells and tissues, biochemical and immunological and EM study, 560
—, peroxidase synthesis and secretion, rat endometrium, induction by estrogen and estrogen antagonist, cytochemical light and EM study, 449
Enzymes, lysosomal, zymosan-induced release from human polymorphonuclear leukocytes, effect of cytochalasin B, biochemical study, 625
Epithelium, chick embryo cornea, collagens and glycosaminoglycans, macromolecular order and morphogenesis in basement membrane, biochemical and EM study, 815
—, mammary gland, mouse, response to insulin during development, biochemical study, 550
—, pigment, and visual cells, frog retina, glycerol renewal, biochemical and autoradiographic study, 378
—, rat ileum, membranes in endocytic complex, regular particulate structure, freeze-fracture EM study, 679
—, rat small intestine, lectin differential localization of cell surface and secretory components, fluorescence microscopy, 329
—, rat uterus, induction of peroxidase synthesis and secretion by estrogen and estrogen antagonist, cytochemical light and EM study, 449
—, toad urinary bladder, osmotically disrupted zonulae occludentes, freeze-fracture EM study, 344
Erythrocyte, human, organization of protein in membrane, review article, 1
Esterase, cathodal, primate-specific, intracellular distribution in cultured cells and tissues, biochemical and immunological and EM study, 560
Estrogen and estrogen antagonist (Parke-Davis CI-628), induction of rat endometrial peroxidase synthesis and secretion, cytochemical light and EM study, 449
Ethylenediaminetetraacetic acid, digitonin, and pyrophosphate, effects on rat liver microsomes and subcellular membranes, biochemical and EM study, 717
Exocytosis, mast cells treated with 48/80 or ionophores A-23187 and X-537A, induction by calcium, light and EM study, 519

F

Facilitation, adaptation to protein synthesis inhibitors by *Tetrahymena*, cytological study, 707
Feather, chick embryo, keratin protein synthesis during development, biochemical and EM study, 114
Ferritin and ferritin-antiferritin complexes, loss of iron after uptake of, mouse peritoneal macrophages, autoradiographic and biochemical and cytological study, 802
Fibrils, component of cell wall, *Saccharomyces cerevisiae*, biochemical and EM study, 66
Filaments, cytoplasmic, ordered arrays of, in vertebrate iridophores, comparative EM study, 295
Fish, killifish *Cyprinodon variegatus*, pseudobranch, adaptation to constant light and darkness, helical form cristae in mitochondria, EM study, 886
Fixation, conventional, preservation of subcellular organelles, *Candida albicans*, EM study, 574
Flagellum, *Ochromonas danica*, role of mastigonemes in fluid flow, cinephotographic study, 322
Fluid flow around *Ochromonas danica* flagellum, role of mastigonemes, cinephotographic study, 322
Frog *Rana pipiens* and *Bufo marinus*, tail muscle, substructure of motor end plate, granules at myoneural junction, light and EM study, 775
– *Rana pipiens*, embryo and larva, gap junction assembly during neurulation, light and tracer and freeze-fracture EM study, 32
— *Rana pipiens*, retina, glycerol renewal in visual cells and pigment epithelium, biochemical and autoradiographic study, 378
—, skeletal muscle, intracellular binding of ruthenium red, light and EM study, 242
Fusion, *Physarum polycephalum* plasmodia, physical separation of nuclei, biochemical and autoradiographic study, 227

G

Garfish *Lepisosteus osseus*, olfactory nerve, isolation and characterization of plasma membrane fractions, biochemical and EM study, 831
Gene sites for 5S and 18 + 28S RNA on *Glyptotendipes barbipes* chromosomes, biochemical and cytological study, 132
Genetic mutation, diabetic mice, effect on insulin release and islet morphology, biochemical and immunological and light and EM study, 77
Glycerol renewal in visual cells and pigment epithelium, frog retina, biochemical and autoradiographic study, 378
Glycoproteins, synthesis and migration, rat anterior pituitary gland, autoradiographic light and EM study, 185
Glycosaminoglycan and collagen, chick embryo corneal epithelium, macromolecular order and

morphogenesis in basement membrane, biochemical and EM study, 815
— synthesis by chick embryo neural tube, notochord. and lens, autoradiographic and biochemical and EM study, 885
Golgi apparatus, rat testes, effects of phosphotungstate negative staining on morphology, biochemical and freeze-fracture EM study, 491
— fractions and plasma membrane, adenylate cyclase, pig adenohypophysis, biochemical and EM study, 231
Granules, myoneural junction, amphibian motor end plate, light and EM study, 755
Granulocytes, human, divalent cation regulation of chemotaxis, association between calcium and microtubules, biochemical and cytological and EM study, 594
Growth, fetal rat hepatocytes in culture, effect of conditioned medium and interactions with serum factors, biochemical and cytological study, 780
—, fetal rat hepatocytes in culture, hormonal control of DNA synthesis, role in liver regeneration, autoradiographic and biochemical study, 792
—, fetal rat hepatocytes in culture, regulation by stimulatory and inhibitory macromolecules in dialyzed fetal bovine serum, biochemical and cytological study, 767
—, resting and log phases, Yoshida ascites hepatoma cells, protein metabolism, biochemical study, 585

H

Hamster, fibroblasts, external proteins, biochemical study, 438
Heart, bat, neuronal and extraneuronal localization of labeled norepinephrine, biochemical and autoradiographic EM study, 610
Hormone, estrogen and estrogen antagonist, induction of rat endometrial peroxidase synthesis and secretion, cytochemical light and EM study, 449
Hormones, growth, thyronine, thyrotropic stimulating, insulin, follicle stimulating, luteinizing, adrenal corticotropic, hydrocortisone, and insulin, control of DNA synthesis, fetal rat hepatocytes in culture, autoradiographic and biochemical study, 792
Human, granulocytes, divalent cation regulation of chemotaxis, association between calcium and microtubules, biochemical and cytological and EM study, 594
—, leukocytes, DNA synthesis in interphase nuclei, autoradiographic and fluorescence microscopy study, 546
—, polymorphonuclear leukocytes, effect of cellular locomotion on redistribution and capping of surface-bound concanavalin A, fluorescence and EM study, 351
—, polymorphonuclear leukocytes, zymosan-induced release of lysosomal enzymes, effect of cytochalasin B, biochemical study, 625
—, red blood cell membrane, organization of proteins, review article, 1
Hydra *Pelmatohydra oligactis*, external surface, closely packed array of membrane intercalated particles, EM study, 556

I

Ileum, rat, epithelium, membranes in endocytic complex, regular particulate structure, freeze-fracture EM study, 679
Ingestion and egestion of dimethylbenzanthracene particles, acid hydrolase release, *Tetrahymena*, biochemical and pharmacologic study, 844
Insect *Glyptotendipes barbipes*, chromosomes, hybridization of ribosomal RNA (5S and 18 + 28S), biochemical and cytological study, 132
— *Locusta migratoria*, mitochondrial 60S and cytoplasmic 80S ribosomes, biochemical and EM study, 860
— *Rhynchosciara americana*, *R. milleri*, and *R. papavëroi*, salivary gland, fat body, ovary, and carcass, under-replication of ribosomal cistrons in polytene chromosomes, biochemical study, 215
—, scorpions *Hadrurus hirsutus* and *Vejous spinigerus*, spermatids, nuclear shaping in absence of microtubules, EM study, 911
Insulin release, islet morphology, mouse pancreas, influence of diabetes mutation, biochemical and immunological and light and EM study, 77
—, responsiveness of mouse mammary gland epithelium during development, biochemical study, 550
Intestine, chick embryo, effect of cytochalasin B on microvilli, cytological and EM study, 566
—, rat, epithelium, lectin differential localization of cell surface and secretory components, fluorescence microscopy, 329
Ionophores A-23187 and X-537A or 48–80 treatment of mast cells, calcium-induced exocytosis, light and EM study, 519
Iridophores, vertebrates, ordered arrays of cytoplasmic filaments, comparative EM study, 295
Iron loss after uptake of ferritin and ferritin-antiferritin complexes, mouse peritoneal macrophages, autoradiographic and biochemical and cytological study, 802
Irradiation, laser, chromosomes of rat kangaroo PTK_2 line, light and EM study, 526
—, ultraviolet, streptonigrin, and high oxygen tension, resistance to, green alga *Chlorella sorokiniana* strain ORS, cytological study, 904
Islet morphology, insulin release, mouse pancreas, influence of diabetes mutation, biochemical and immunological and light and EM study, 77

J

Junction, gap, assembly of during amphibian neurulation, light and tracer and freeze-fracture EM study, 32
—, myoneural, granules, amphibian motor end plate, light and EM study, 755
Junctions, zonulae occludentes, toad urinary bladder epithelium, effect of osmotic disruption, freeze-fracture EM study, 344

K

Keratin protein synthesis during development, chick embryo feather, biochemical and EM study, 114

Kidney and liver, rabbit, mitochondria, alkaline deoxyribonuclease activity, biochemical study, 695

L

Laser irradiated chromosomes, rat kangaroo PTK_2 line, light and EM study, 526
Lectins, *Dolichos biflorus*, *Lotus tetragonolobus*, *Ricinus communis*, and *Triticum vulgaris*, differential localization of cell surface and secretory components, rat intestinal epithelium, fluorescence microscopy, 329
Lens, neural tube and notochord, chick embryo, glycosaminoglycan synthesis, autoradiographic and biochemical and EM study, 885
Leukocytes, human, DNA synthesis in interphase nuclei, autoradiographic and fluorescence microscopy study, 546
—, polymorphonuclear, human, effect of cellular locomotion on redistribution and capping of surface-bound concanavalin A, fluorescence and EM study, 351
—, polymorphonuclear, human, zymosan-induced release of lysosomal enzymes, effect of cytochalasin B, biochemical study, 625
Life-span, variation, clones from human diploid cell strains, cytological study, 48
Light and darkness adaptation, *Cyprinodon variegatus*, helical form cristae in mitochondria of pseudobranch, EM study, 886
Links, intertubule, microtubule arms and cytoplasmic streaming, feeding tentacle of suctorian ciliate *Tokophrya*, Nomarski light and EM study, 424
Lipophosphonoglycan localization on both sides of *Acanthamoeba* plasma membrane, EM study, 533
Lipoprotein and protein secretion, rat liver, inhibition by colchicine, biochemical and EM study, 90
Liver and kidney, rabbit, mitochondria, alkaline deoxyribonuclease activity, biochemical study, 695
—, rat, attachment of nuclear pore complex, biochemical and EM study, 746
—, rat, colchicine-induced inhibition of lipoprotein and protein secretion, lack of effect on biliary phospholipids and cholesterol, biochemical and EM study, 90
—, rat, membrane whorls, induction by protein synthesis inhibitors, biochemical and EM study, 20
—, rat, microsomes and subcellular membranes, effects of digitonin, EDTA, and pyrophosphate, biochemical and EM study, 717
—, rat, mitochondria, inner membrane sedimentation at 100 *g*, biochemical and light and EM study, 877
—, rat, rough and smooth microsomes, biogenesis of endoplasmic reticulum membranes, site of phospholipid synthesis, biochemical study, 635
Locomotion, cellular, effect on redistribution and capping of surface-bound concanavalin A, human polymorphonuclear leukocytes, fluorescence and EM study, 351
Lymphocytes, mouse spleen, kinetics of cellular response to stimulation by concanavalin A, autoradiographic and biochemical and cytological study, 366
Lysosomes, *Tetrahymena pyriformis*, acid hydrolase release, ingestion and egestion of dimethylbenzanthracene particles, biochemical and pharmacologic study, 844

M

Macromolecules, dialyzed fetal bovine serum, stimulation and inhibition of growth of fetal rat hepatocytes, biochemical and cytological study, 767
Macrophages, peritoneal, mouse, inhibition of phagocytosis and plasma membrane mobility by cytochalasin B, role of subplasmalemmal microfilaments, biochemical and cytological and scanning and transmission EM study, 647
—, peritoneal, mouse, loss of iron in vitro after uptake of ferritin and ferritin-antiferritin complexes, autoradiographic and biochemical and cytological study, 802
Mammary gland, mouse, epithelial response to insulin during development, biochemical study, 550
Mast cells, rat, treatment with 48/80 or ionophores A-23187 and X-537A, calcium-induced exocytosis, light and EM study, 519
Mastigonemes, role in fluid flow around flagellum, *Ochromonas danica*, cinephotographic study, 322
Meiosis, *Xenopus laevis*, ribosomal DNA amplification, autoradiographic and biochemical and cytological study, 460
Membrane, basement, chick embryo cornea, epithelial collagen and glycosaminoglycan, biochemical and EM study, 815
—differentiation, cilia, *Tetrahymena pyriformis*, freeze-fracture EM study, 473
—, external surface of Hydra, closely packed array of intercalated particles, EM study, 556
—, inner, rat liver mitochondria, sedimentation at 100 *g*, biochemical and light and EM study, 877
—, plasma, *Acanthamoeba*, localization of lipophosphonoglycan on both sides, EM study, 533
—, plasma, garfish olfactory nerve, biochemical and EM study, 831
—, plasma, mobility of, and phagocytosis, cultured macrophages, inhibition by cytochalasin B, role of subplasmalemmal microfilaments, biochemical and cytological and scanning and transmission EM study, 647
—, rat ileal epithelium, regular particulate structures in endocytic complex, freeze-fracture EM study, 679
—, red blood cell, human, organization of proteins, review article, 1
—whorls, rat liver, induction by protein synthesis inhibitors, biochemical and EM study, 20
Membranes, selective filtration, effects on differentiation of fetal mouse salivary gland, rib, and liver cells, biochemical and light and EM study, 908
—, smooth endoplasmic reticulum, site of phospholipid synthesis, rat hepatocytes, biochemical study, 635

Membranes, subcellular, rat liver, effects of digitonin, EDTA, and pyrophosphate, biochemical and EM study, 717
Metabolism, energy, ultrastructure, and steroidogenesis, adrenocortical carcinoma 494, comparison with normal adrenal cortex, biochemical and EM study, 152
Microfilaments and cortex, HeLa, HEp2, L, Vero, MDBK, and PR-105 cell lines, effect of cytochalasin D, EM study, 406
—, subplasmalemmal, role in cytochalasin B inhibition of phagocytosis and plasma membrane mobility, cultured macrophages, biochemical and cytological and scanning and transmission EM study, 647
Microsomes, rat liver, effects of digitonin, EDTA, and pyrophosphate, biochemical and EM study, 717
—, rough and smooth, rat liver, biogenesis of endoplasmic reticulum membranes, site of phospholipid synthesis, biochemical study, 635
Microtubule arms and cytoplasmic streaming, intertubule links, feeding tentacle of suctorian ciliate *Tokophrya*, Nomarski light and EM study, 424
—assembly and calcium concentration, association in human granulocyte chemotaxis, biochemical and cytological and EM study, 594
—protein (tubulin), during ciliogenesis, mouse oviduct, biochemical and EM study, 164
Microtubules and bridges, axostyle, flagellates *Pyrsonympha* and *Saccinobaculus*, freeze-fracture EM study, 660
—, chick embryo cranial bone, role in collagen secretion, autoradiographic and biochemical and EM study, 390
— and chromatin, nonkinetochore association, *Loligo pealei* spermatid, EM study, 917
—, nuclear shaping in absence of, scorpion spermatids, EM study, 911
Microvilli, chick embryo intestine, effect of cytochalasin B, cytological and EM study, 566
Mitochondria, *Locusta migratoria*, 60S ribosomes, biochemical and EM study, 860
—, pseudobranch of *Cyprinodon variegatus*, adapted to constant light and darkness, helical form cristae, EM study, 886
—, rabbit liver and kidney, alkaline deoxyribonuclease activity, biochemical study, 695
—, rat liver, inner membrane sedimentation at 100 *g*, biochemical and light and EM study, 877
Mitosis and cytokinesis, multinucleate green alga *Acrosiphonia*, light and EM study, 274
Mitotic spindles, *Chaetopterus* oocytes, stabilization by porcine brain tubulin, light microscopic study, 175
Mouse, mammary gland, epithelium, response to insulin, during development, biochemical study, 550
—, oviduct, ciliogenesis, scanning EM study, 899
—, oviduct, microtubule protein during ciliogenesis, biochemical and EM study, 164
—, pancreas, influence of diabetes mutation on insulin release and islet morphology, biochemical and immunological and light and EM study, 77
—, peritoneal macrophages, inhibition of phagocytosis and plasma membrane mobility by cytochalasin B, role of subplasmalemmal microfilaments, biochemical and cytological and scanning and transmission EM study, 647
—, peritoneal macrophages, loss of iron in vitro after uptake of ferritin and ferritin-antiferritin complexes, autoradiographic and biochemical and cytological study, 802
—, spleen, lymphocytes, kinetics of cellular response to stimulation by concanavalin A, autoradiographic and biochemical and cytological study, 366
Movement, inhibition by upper cell surface, epithelial cells and fibroblasts, time-lapse cinemicrographic study, 198
Muscle, skeletal, adult vertebrate, peripheral couplings, EM study, 223
—, skeletal, chick embryo, creatine specificity in control of protein synthesis, biochemical study, 145
—, skeletal, frog, intracellular binding of ruthenium red, light and EM study, 242
—, skeletal, rabbit, calcium oxalate and calcium phosphate deposits in sarcoplasmic reticulum vesicles, biochemical and EM study, 505
—, tail, amphibian, substructure of motor end plate, granules at myoneural junction, light and EM study, 755
Myoneural junction granules, amphibian motor end plate, light and EM study, 755
Myosin, *Physarum*, purification by potassium iodide, biochemical and EM study, 54

N

Necklace, ciliary, *Tetrahymena pyriformis*, membrane differentiation, freeze-fracture EM study, 473
Nerve, olfactory, garfish, isolation and characterization of plasma membrane fractions, biochemical and EM study, 831
Neural tube, notochord, and lens, chick embryo, glycosaminoglycan synthesis, autoradiographic and biochemical and EM study, 889
Neurite formation and dibutyryl cyclic AMP, enucleated neuroblastoma cells, cytological study, 917
Neuronal and extraneuronal localization of labeled norepinephrine, bat heart, biochemical and autoradiographic EM study, 610
Neurulation, amphibian, gap junction assembly during, light and tracer and freeze-fracture EM study, 32
Norepinephrine, neuronal and extraneuronal localization, bat heart, biochemical and autoradiographic EM study, 610
Notochord, neural tube, and lens, chick embryo, glycosaminoglycan synthesis, autoradiographic and biochemical and EM study, 885
Nuclear pore complex attachment, rat liver, biochemical and EM study, 746
Nuclei, interphase, human leukocyte, DNA synthesis, autoradiographic and fluorescence microscopy study, 546
—, interphase, prophasing of, induction of nuclear envelopes around metaphase chromosomes, HeLa and Chinese hamster homo- and heterokaryons, light and EM study, 104

Nucleus, *Physarum polycephalum*, physical separation from plasmodia after fusion, biochemical and autoradiographic study, 227
—, scorpion spermatid, shaping in absence of microtubules, EM study, 911

O

Oocyte, *Chaetopterus*, growth and lability of mitotic spindles, stabilization by porcine brain tubulin, light microscopic study, 175
Organelles, subcellular, preservation with conventional fixatives, *Candida albicans*, EM study, 574
Oviduct, mouse, ciliogenesis, scanning EM study, 899
—, mouse, microtubule protein during ciliogenesis, biochemical and EM study, 164
Oxygen, high tension, streptonigrin, and ultraviolet irradiation, resistance to, green alga *Chlorella sorokiniana* strain ORS, cytological study, 904

P

Pancreas, mouse, influence of diabetes mutation on insulin release and islet morphology, biochemical and immunological and light and EM study, 77
Particles, membrane intercalated, closely packed array, external surface of Hydra, EM study, 556
Permeability, epithelial, gap junction assembly during amphibian neurulation, light and tracer and freeze-fracture EM study, 32
Peroxidase synthesis and secretion, rat endometrium, induction by estrogen and estrogen antagonist, cytochemical light and EM study, 449
Phagocytosis and plasma membrane mobility, cultured macrophages, inhibition by cytochalasin B, role of subplasmalemmal microfilaments, biochemical and cytological and scanning and transmission EM study, 647
Phospholipid synthesis, biogenesis of smooth endoplasmic reticulum membranes, rat hepatocytes, biochemical study, 635
Phosphotungstate negative staining, effects on morphology of rat testes Golgi apparatus, biochemical and freeze-fracture EM study, 491
Pig, adenohypophysis, adenylate cyclase in plasma membrane and Golgi fractions, biochemical and EM study, 231
Plasma membrane and Golgi fractions, adenylate cyclase, pig adenohypophysis, biochemical and EM study, 231
Plasmodia, *Physarum polycephalum*, physical separation of nuclei after fusion, biochemical and autoradiographic study, 227
Polylysine, tissue culture of dissociated cells from rat embryo cerebral hemispheres on, cytological study, 540
Polypeptide organization, human red blood cell membrane, review article, 1
Pore complex, rat liver nuclei, attachment of, biochemical and EM study, 746
Potassium iodide purification, *Physarum* myosin, biochemical and EM study, 54
Protein and lipoprotein secretion, rat liver, inhibition by colchicine, biochemical and EM study, 90
— metabolism, resting and log phases, Yoshida ascites hepatoma cells, biochemical study, 585
—, microtubule, (tubulin), during ciliogenesis, mouse oviduct, biochemical and EM study, 164
— organization, human red blood cell membrane, review article, 1
— synthesis, chick embryo skeletal muscle, role of creatine, biochemical study, 145
— synthesis during development, chick embryo feather keratin, biochemical and EM study, 114
— synthesis inhibitors, cycloheximide and emetine, adaptation by *Tetrahymena pyriformis*, cytological study, 707
— synthesis inhibitors, production of membrane whorls, rat liver, biochemical and EM study, 20
Proteins, external, hamster fibroblasts, biochemical study, 438
—, glyco-, synthesis and migration, rat anterior pituitary gland, autoradiographic light and EM study, 185
Protozoa *Pyrsonympha* and *Saccinobaculus*, axostyles, microtubules and bridges, freeze-fracture EM study, 660
Protozoan *Acanthamoeba castellanii*, plasma membrane, localization of lipophosphonoglycan on both sides, EM study, 533
— *Euglena gracilis*, vitamin B12 deficiency, effect of cycloheximide on recovery, biochemical and cytological study, 672
— *Tetrahymena pyriformis*, adaptation to protein synthesis inhibitors, cytological study, 707
— *Tetrahymena pyriformis*, cell division and DNA replication, effect of 5-bromodeoxyuridine, autoradiographic and biochemical study, 316
— *Tetrahymena pyriformis*, ciliary membrane differentiation, freeze-fracture EM study, 473
— *Tetrahymena pyriformis*, lysosomes, acid hydrolase release, ingestion and egestion of dimethylbenzanthracene particles, biochemical and pharmacologic study, 844
— *Tokophrya*, tentacle, microtubule arms and cytoplasmic streaming, intertubule links, during feeding, Nomarski light and EM study, 424
Pseudobranch, *Cyprinodon variegatus*, adaptation to constant light and darkness, helical form cristae in mitochondria, EM study, 886
Pyrophosphate, EDTA, and digitonin, effects on rat liver microsomes and subcellular membranes, biochemical and EM study, 717

R

Rabbit, liver and kidney, mitochondria, alkaline deoxyribonuclease activity, biochemical study, 695
—, skeletal muscle, calcium oxalate and calcium phosphate deposits in sarcoplasmic reticulum vesicles, biochemical and EM study, 505
Radioactive label, [^{14}C]aminoisobutyric acid and [^{3}H]thymidine, response to insulin during development of mammary gland epithelium, biochemical study, 550
— label, [^{14}C]dimethylbenzanthracene, ingestion and

egestion of dimethylbenzanthracene particles, acid hydrolase release, *Tetrahymena pyriformis*, biochemical and pharmacologic study, 844
— label, [^{14}C]formate and [^{14}C]leucine, effect of cycloheximide on recovery from vitamin B12 deficiency, *Euglena gracilis*, biochemical and cytological study, 672
— label, [^{14}C]fucose, [^{14}C]glucosamine, [^{14}C]leucine, [^{3}H]proline, [^{125}I]sodium iodide, and [^{35}S]sodium sulfate, external proteins of hamster fibroblasts, biochemical study, 438
— label, [^{14}C]glycerol and [^{3}H]leucine, biogenesis of smooth endoplasmic reticulum membrane, site of phospholipid synthesis, rat hepatocytes, biochemical study, 635
— label, [^{14}C]- and [^{3}H]lysine and [^{3}H]inulin, protein metabolism in resting and log phases, Yoshida ascites hepatoma cells, biochemical study, 585
— label, [^{14}C]- or [^{3}H]thymidine and [^{3}H]deoxyuridine, rates of DNA synthesis in cultured murine mastocytoma cells, autoradiographic and biochemical study, 305
— label, [^{14}C]- or [^{3}H]thymidine, physical separation of nuclei from *Physarum polycephalum* plasmodia after fusion, biochemical and autoradiographic study, 227
— label, [^{14}C]inulin, effect of cytochalasin B on zymosan-induced release of lysosomal enzymes, human polymorphonuclear leukocytes, biochemical study, 625
— label, [^{14}C]leucine, [^{3}H]thymidine, and [^{3}H]uridine, keratin protein synthesis during development of chick embryo feather, biochemical and EM study, 114
— label, [^{14}C]palmitic acid and [^{3}H]leucine, colchicine-induced inhibition of lipoprotein and protein secretion, lack of effect on biliary phospholipids and cholesterol, rat liver, biochemical and EM study, 90
— label, [^{45}Ca]calcium, divalent cation regulation of human granulocyte chemotaxis, association between calcium and microtubules, biochemical and cytological and EM study, 594
— label, [^{59}Fe]ferric chloride, iron loss from mouse peritoneal macrophages after uptake of ferritin and ferritin-antiferritin complexes, autoradiographic and biochemical and cytological study, 802
— label, [^{3}H]acetate, and [^{3}H]proline, chick embryo corneal epithelial collagens and glycosaminoglycans, macromolecular order and morphogenesis in basement membrane, biochemical and EM study, 815
— label, [^{3}H]arginine, [^{3}H]ornithine, and [^{3}H]thymidine, growth control of fetal rat hepatocytes in culture, conditioned medium, interactions with serum factors, biochemical and cytological study, 780
— label, [^{3}H]bromodeoxyuridine, DNA synthesis in interphase nuclei, human leukocytes, autoradiographic and fluorescence microscopy study, 546
— label, [^{3}H]choline and [^{3}H]leucine, production of membrane whorls in rat liver by inhibitors of protein synthesis, biochemical and EM study, 20
— label, [^{3}H]colchicine, microtubule protein during ciliogenesis, mouse oviduct, biochemical and EM study, 164
— label, [^{3}H]DNA, alkaline deoxyribonuclease activity, rabbit liver and kidney mitochondria, biochemical study, 695
— label, [^{3}H]fucose, synthesis and intracellular migration of glycoprotein, rat adenohypophysis, autoradiographic light and EM study, 185
— label, [^{3}H]glucosamine and [^{35}S]sulfuric acid, glycosaminoglycan synthesis by chick embryo neural tube, notochord, and lens, autoradiographic and biochemical and EM study, 889
— label, [^{3}H]glycerol, renewal of glycerol in visual cells and pigment epithelium, frog retina, biochemical and autoradiographic study, 378
— label, [^{3}H]leucine, creatine specificity in control of protein synthesis, chick embryo skeletal muscle, biochemical study, 145
— label, [^{3}H]leucine, [^{3}H]proline, [^{3}H]thymidine, [^{3}H]uridine, and [^{35}S]sodium sulfate, effect of extracellular chondroitin sulfate on cultured chondrocytes, biochemical study, 881
— label, [^{3}H]norepinephrine, neuronal and extraneuronal localization of labeled amine in bat heart, biochemical and autoradiographic EM study, 610
— label, [^{3}H]orotic acid and [^{3}H]uridine, under-replication of ribosomal cistrons in polytene chromosomes of *Rhynchosciara*, biochemical study, 215
— label, [^{3}H]proline and [^{3}H]tryptophan, effects of antimicrotubular agents on collagen secretion, chick embryo cranial bone, autoradiographic and biochemical and EM study, 390
— label, [^{3}H]thymidine, early germ cell development and premeiotic ribosomal DNA amplification, *Xenopus laevis*, autoradiographic and biochemical and cytological study, 460
— label, [^{3}H]thymidine, growth control of fetal rat hepatocytes in culture, growth stimulatory and inhibitory macromolecules in dialyzed fetal bovine serum, biochemical and cytological study, 767
— label, [^{3}H]thymidine, growth control of fetal rat hepatocytes in culture, hormonal control of DNA synthesis, role in liver regeneration, autoradiographic and biochemical study, 792
— label, [^{3}H]thymidine and [^{125}I]concanavalin A, kinetics of cellular response to concanavalin A stimulation, mouse lymphocytes, autoradiographic and biochemical and cytological study, 366
— label, [^{3}H]thymidine and [^{32}P]orthophosphate, effect of 5-bromodeoxyuridine on DNA replication and cell division, *Tetrahymena pyriformis*, autoradiographic and biochemical study, 316
— label, [^{3}H]thymidine and [^{35}S]sulfur, preparation of rat bone matrix substratum for chondrogenesis, autoradiographic and cytological and EM study, 510
— label, [^{125}I]insulin, influence of mouse diabetes mutation on insulin release and islet morphology, biochemical and immunological and light and EM study, 77
— label, [^{125}I]iodide, multiple gene sites for 5S and 18 + 28S RNA on *Glyptotendipes barbipes* chromosomes, biochemical and cytological study, 132
— label, [^{125}I]sodium iodide, concanavalin A receptors

in synaptic cleft, rat brain, biochemical and EM study, 236
— label, [125I]sodium iodide, effect of dibutyryl cyclic AMP and testololactone on concanavalin A binding and cell killing, Chinese hamster ovary cells, biochemical and cytological study, 247
Rat, adrenal cortex, normal, comparison with adrenocortical carcinoma 494, ultrastructure, steroidogenesis, and energy metabolism, biochemical and EM study, 152
—, anterior pituitary gland, synthesis and intracellular migration of glycoproteins, autoradiographic light and EM study, 185
—, bone, preparation of matrix substratum for chondrogenesis, autoradiographic and cytological and EM study, 510
—, brain, synaptosomes and junctional complexes, concanavalin A receptors in synaptic cleft, biochemical and EM study, 236
—, embryo, cerebral hemisphere, tissue culture of dissociated cells on polylysine, cytological study, 540
—, ileum, epithelium, membranes in endocytic complex, regular particulate structure, freeze-fracture EM study, 679
-, liver, attachment of nuclear pore complex, biochemical and EM study, 746
—, liver, colchicine-induced inhibition of lipoprotein and protein secretion, lack of effect on biliary phospholipids and cholesterol, biochemical and EM study, 90
—, liver, membrane whorls, induction by protein synthesis inhibitors, biochemical and EM study, 20
—, liver, microsomes and subcellular membranes, effects of digitonin, EDTA, and pyrophosphate, biochemical and EM study, 717
—, liver, mitochondria, inner membrane sedimentation at 100 *g*, biochemical and light and EM study, 877
—, liver, rough and smooth microsomes, biogenesis of endoplasmic reticulum membranes, site of phospholipid synthesis, biochemical study, 635
—, peritoneal mast cells, treatment with 48/80 or ionophores A-23187 and X-537A, calcium-induced exocytosis, light and EM study, 519
—, small intestine, epithelium, lectin differential localization of cell surface and secretory components, fluorescence microscopy, 329
—, testes, Golgi apparatus, effects of phosphotungstate negative staining on morphology, biochemical and freeze-fracture EM study, 491
—, uterus, induction of epithelial peroxidase synthesis and secretion by estrogen and estrogen antagonist, cytochemical light and EM study, 449
Replication, ribosomal cistrons, *Rhynchosciara* polytene chromosomes, biochemical study, 215
Retina, frog, glycerol renewal in visual cells and pigment epithelium, biochemical and autoradiographic study, 378
—, vertebrate, ultrastructural localization of rhodopsin, immunological and freeze-fracture EM study, 257
Rhodopsin, ultrastructural localization in vertebrate retina, immunological and freeze-fracture EM study, 257
Ribonucleic acid, ribosomal, under-replication, *Rhynchosciara* polytene chromosomes, biochemical study, 215
— acid, 5S and 18 + 28S, *Glyptotendipes barbipes*, chromosomes, multiple gene sites, biochemical and cytological study, 132
Ribosomes, mitochondrial 60S and cytoplasmic 80S, *Locusta migratoria*, biochemical and EM study, 860
—, *Xenopus laevis*, early germ cell development and premeiotic DNA amplification, autoradiographic and biochemical and cytological study, 460
Ruthenium red intracellular binding, frog skeletal muscle, light and EM study, 242

S

Sarcolemmal couplings, adult vertebrate skeletal muscle, EM study, 223
Sarcoplasmic reticulum vesicles, rabbit skeletal muscle, calcium oxalate and calcium phosphate deposits, biochemical and EM study, 505
Slime mold *Physarum*, myosin purification by potassium iodide, biochemical and EM study, 54
— mold *Physarum polycephalum*, physical separation of nuclei from plasmodia after fusion, biochemical and autoradiographic study, 227
Spermatids, *Loligo pealei*, nonkinetochore association of chromatin and microtubules, EM study, 917
—, scorpion, nuclear shaping in absence of microtubules, EM study, 911
Spindles, mitotic, *Chaetopterus* oocytes, stabilization by porcine brain tubulin, light microscopic study, 175
Spleen, lymphocytes, mouse, kinetics of cellular response to stimulation by concanavalin A, autoradiographic and biochemical and cytological study, 366
Squid *Loligo pealei*, testes, nonkinetochore association of chromatin and microtubules in sperm cells, EM study, 917
Steroidogenic potential, ultrastructure, and energy metabolism, adrenocortical carcinoma 494, comparison with normal adrenal cortex, biochemical and EM study, 152
Streptonigrin, ultraviolet irradiation, and high oxygen tension, resistance to, green alga *Chlorella sorokiniana* strain ORS, cytological study, 904
Sulfate incorporation, cultured chondrocytes, effect of extracellular chondroitin sulfate, biochemical study, 881
Surface, cell, differential localization of components by lectins, rat intestinal epithelium, fluorescence microscopy, 329
—, external, Hydra, closely packed array of membrane intercalated particles, EM study, 556
—, human polymorphonuclear leukocytes, effect of cellular locomotion on redistribution and capping of concanavalin A binding sites, fluorescence and EM study, 351
—, upper cell, epithelial cells and fibroblasts, inability to support active cell movement, time-lapse cinemicrographic study, 198
Synaptic cleft, rat brain, concanavalin A receptors, biochemical and EM study, 236

T

Tadpoles, toad, early germ cell development and premeiotic ribosomal DNA amplification, autoradiographic and biochemical and cytological study, 460

Tentacle, suctorian ciliate *Tokophrya*, microtubule arms and cytoplasmic streaming, intertubule links, during feeding, Nomarski light and EM study, 424

Testes, *Loligo pealei*, nonkinetochore association of chromatin and microtubules in sperm cells, EM study, 917

—, rat, Golgi apparatus, effects of phosphotungstate negative staining on morphology, biochemical and freeze-fracture EM study, 491

Testololactone and dibutyryl cyclic AMP, effect on concanavalin A binding and cell killing, Chinese hamster ovary cells, biochemical and cytological study, 247

Tissue culture, dissociated cells from rat embryo cerebral hemispheres on polylysine, cytological study, 540

— culture, effects of selective membrane filtration on differentiation of fetal mouse salivary gland, rib, and liver cells, biochemical and light and EM study, 908

— culture, growth control of fetal rat hepatocytes in culture, conditioned medium, interactions with serum factors, biochemical and cytological study, 780

— culture, growth control of fetal rat hepatocytes, growth stimulatory and inhibitory macromolecules in dialyzed fetal bovine serum, biochemical and cytological study, 767

— culture, growth control of fetal rat hepatocytes in culture, hormonal control of DNA synthesis, role in liver regeneration, autoradiographic and biochemical study, 792

— culture, murine mastocytoma P-815-X2 line, rates of DNA synthesis, autoradiographic and biochemical study, 305

— culture, upper cell surface of epithelial cells and fibroblasts, inability to support active cell movement, time-lapse cinemicrographic study, 198

— culture, variation in life-span of clones from human diploid cell strains, cytological study, 48

Tissues, monkey liver and kidney, rat liver, human kidney, and FL human amnion cells, intracellular distribution of primate-specific esterase, biochemical and immunological and EM study, 560

Toad *Bufo marinus*, urinary bladder, epithelium, osmotically disrupted zonulae occludentes, freeze-fracture EM study, 344

— *Xenopus laevis*, tadpoles, early germ cell development and premeiotic ribosomal DNA amplification, autoradiographic and biochemical and cytological study, 460

Tubulin, microtubule protein, during ciliogenesis, mouse oviduct, biochemical and EM study, 164

U

Uterus, rat, induction of epithelial peroxidase synthesis and secretion by estrogen and estrogen antagonist, cytochemical light and EM study, 449

V

Vertebrate, cow and mouse, retina, ultrastructural localization of rhodopsin, immunological and freeze-fracture EM study, 257

—, mouse, frog, Zebra finch, Strawberry finch, and parakeet, skeletal muscle, peripheral couplings, EM study, 223

Vertebrates, cardinal tetra and goldfish, *Holocentrus ascensionis*, *Rana pipiens*, *Anolis carolinensis*, iridophores, ordered arrays of cytoplasmic filaments, comparative EM study, 295

Vesicles, sarcoplasmic reticulum, rabbit skeletal muscle, calcium oxalate and calcium phosphate deposits, biochemical and EM study, 505

Vinblastine, effect on collagen secretion, chick embryo cranial bone, autoradiographic and biochemical and EM study, 390

Vitamin B12 deficiency, *Euglena gracilis*, effect of cycloheximide on recovery, biochemical and cytological study, 672

Y

Yeast *Candida albicans*, preservation of subcellular organelles with conventional fixatives, EM study, 574

— *Saccharomyces cerevisiae*, cell wall, fibrillar component, biochemical and EM study, 66

Z

Zonulae occludentes, toad urinary bladder epithelium, effect of osmotic disruption, freeze-fracture EM study, 344

Zymosan-induced release of lysosomal enzymes, human polymorphonuclear leukocytes, effect of cytochalasin B, biochemical study, 625